

Its not the vacuum, it's the filter . . . From inexpensive home owner grade to industrial, professional vacuums - *a vacuum without the right filter is useless.*

Maintain Powerful Suction & Ensure Long Motor Life . . .
On Filters Match Exactly to fit your Dust Director Vacuum

Additionally, the Filters are Universal Fitting . . . for used with Any Wet/Dry Vacuum

AIRFlow HEPA Filtration - Specific filters for extracting Fine Powder Silica

CONTRACTOR PRICE LIST: Replacement Silica Dust Filters & Vacuum Accessories

- Flutter Filter Basket - 2 Sizes.
Non-blinding filter for vacuuming ultra fine powders or larger types of debris. Maintains the vacuum's suction power without using filter collection bags.
- Clean / Extreme Cloth Filter Bag. Higher efficiency value than the AIRFlow Bag.
Recommended for use in all dry and wet applications, especially designed for dry silica dust. Will not tear while being handled for disposal. Three sizes.
- Cartridge Filters - HEPA & Conversion / Upgrades
- 4' x 12' *Silica Dust* Filter Bags & Power Blower Accessories - 16 and 24" Power Blowers.
- Vacuum Cleaner Accessories: Hoses, Vinyl Hose Cuffs, Nozzle Kits, Etc.

Flutter Filter Basket. Eliminates using filter collection - Vacuum's powerful suction power is maintained without filter blinding or caking when extracting dry powders, including concrete dust, drywall dust, ink toner, cold fireplace ash, etc. Installs into wet/dry vacuums with a circular tank (12" and 17" diameters). Dry powders accumulate to the tank's inlet port without loss of vacuum suction:



Keeps the vacuum's cartridge filter clean. Using the vacuum's spiraling / swirling turbulence inside the filter's floating cage and loose fitting media are kept in constant and rapid flutter motion. No electronic pulsing or mechanical filter shaking is used to keep the filter in constant flutter motion. As soon as the vacuum is turned-on the swirling effect inside the collection tank causes the Flutter Filter to being its rapid flutter motion.

Constantly fluttering and shaking, the filter prevents dry powders from accumulation / caking its surface. Using natural forces inside the collection tank, the constantly moving, shaking and flutter filter prevents dry powders from caking or loading onto its surface. Additionally, the filter's *free floating filter cage* is also in *constant* knocking and pounding motion against the filter's media, further enhancing the filter's *natural* non-loading efficiencies. - Maintained Powerful Suction is Guaranteed - Naturally - Without using electronic pulsation or external shaking.

CLEAN CARTRIDGE FILTER: For even greater savings, the high efficiency of the filter media keeps the vacuum's cartridge filter clean - helping to significantly reduce cartridge filter replacement cost. Flutter Filter Basket is completely re-useable and washable.

INSTALLATION: Flutter Filter Basket.



Installation. When installed, only the Flutter Filter Basket and the vacuum's cartridge filter are to be used in the vacuum. Dry powder dust falls to the bottom of the tank, cartridge filter stays clean.

1. Install the Flutter Filter Basket into the tank. The 16" Flutter Filter is equipped with a 16" Support Ring. The 12" Flutter Filter uses an elastic band that is stretched over the outside edge of the tank (Picture 1).
2. Fit the filter inside collection tank (Picture 1 and 2) - Be sure that the *floating filter cage* is secured to the filter with its 3 tie wraps.
2. It is always recommended that a cartridge filter be used (attached to the vacuum's motor head) - to obtain efficient clean air exhaust (Picture 3).
3. Place the motor head over the black support ring or the stretched filter, secure the motor head to tank with its attachment clamps (Picture 4).

FIT-16-ESD	16" Flutter Filter Insert Basket. High Efficiency. Includes a 16" Support Ring that lays on top of the tank's opening. Designed to fit <i>all</i> circular tanks with a 16" round opening on its tank. Fits Dust Director Vacuums: DC-2P, DC-2S, DC-2, DC-3, AB-2, AB-3, DC-BV2, DC-BV3 .	Price: \$ 145.00
FIT-12-ESD	12" - 14" <i>Universal</i> Flutter Filter Insert Basket - High Efficiency. Instead of a support ring, this filter uses an elastic band that stretches over the outside the tank. Designed to fit <i>all</i> tanks with a 12" to 14" round opening on its tank. With the elastic band, this filter has also been known to fit into square and rectangular size tanks. Fits: Dust Director Vacuums: DD-VAC, DC-1, DD-KNG, TP-12, SP-10, Contractor, Contractor-Plus, Professional. Also fits: Shop Vac, Master Craft, Pullman Holt, Dayton, Ridgid, Bosch, Nilfisk, Fein, Wap, Altos, etc.	Price: \$ 100.00


- Dust Director Division -

THE DUST CONTROL SPECIALISTS

FILTER COLLECTION BAG. The Clean Extreme Filter Collection Bags are available for use in the Dust Director and all similar style wet/dry vacuums. The expected collection yield of silica dust, when using the Clean Extreme Bags will be to the tank's inlet port. In a 24 gallon tank, expect to collect 140lbs. of *dry* silica. When used in standard wet/dry vacuums, Clean Extreme Bags transform those vacuums into high efficiency performance: Dust Exhaust is significantly reduced, outside of the bag is kept clean, the tank is kept clean, and the cartridge filter is kept clean.


1) **Clean Extreme Filter Bags.** 96% Efficiency @ 0.3 Microns. Installed onto the tank's inlet port, collects large volumes of dry powder debris without suction loss. Additional Features include:

- Self Cleaning Filter Bag - Maintains 100% Suction Power
- Strength / Durability - Will not tear or burst like paper
- Large Collection Yields - All types of dry powders accumulated to the tank's inlet port without suction drop
- Reduced Operating Cost - Large collection yields ensure high productivity, reduced downtime.
- **Everything Stays Clean + Clean Air Exhaust is Assured - Outside of the bag is kept clean, the inside of the tank is kept clean, cartridge filter is kept clean, even the vacuum's motor head compartment stays clean - Reduces dust exhaust when installed into standard grade wet/dry vacuum cleaners.**



- **Versatile: COLLECTS EVERYTHING . . . Vacuums dry powders, saw dust, cold fireplace ash, paint chips, nails, glass, metal shavings, sharp objects, animal waste, insect larvae, sludge, oils, spill pick-ups, pressuring washing debris, pond and pool debris such as algae and foliage, etc. - COLLECTS EVERYTHING . . . WET or DRY - EVEN at the SAME TIME - WITHOUT TEARING.**

<p>HD Cloth Disposable Filter Bags - wet/dry use, 96% efficiency @ 0.3 microns.</p> <ul style="list-style-type: none"> • Safe, Clean Handling During Disposal - Will Not Tear While Being Handled, Outside of the Bag Stays Clean. • Installs into <i>any</i> wet/dry vacuum with an inlet deflector port in its tank (tank sizes 7 - 30 gallon, including Shop Vac, Rigid, Fein, Master Craft, Altos, Wap, Nilfisk, Dayton, Bosch, Pullman-Holt, Etc. (P/N HL500-25). 		
<p>Small 2-1/2" - Fits 7 to 16 gallon wet/dry vacuums with a 2-1/2" inlet port. P/N: HL500-25, Fits Dust Director Vacuums: DC-VAC, KUT-N-GO, TP-12, DC-1, Contractor, Contractor Plus Also Fits: Shop Vac, Rigid, Fein, Master Craft (w/ MC-COLLAR Inlet Fitting), Altos, Wap, Nilfisk, Dayton Bosch, Pullman-Holt, Etc.</p>	<p>2 / pack 20 / box 100 / case</p>	<p>\$ 13.85 \$ 11.55 \$ 9.82</p>
<p>Large 2-1/2" - Fits 17 to 30 gallon wet/dry vacuums with a 2-1/2" inlet port (same size as AIRFlow Bag). P/N: HL501-25, Fits Dust Director Vacuums: DC-2S, DC-2, DC-3, 30 Gallon Tanks, 24 Gallon Slurry Vacuums</p>	<p>2 / pack 20 / box 75 / case</p>	<p>\$ 19.79 \$ 16.48 \$ 14.00</p>
<p>Large 4.0" - Fits 17 to 30 gallon wet/dry vacuums with a 4.0" inlet port. Vacuums: P/N: HL501-40, Fits Dust Director Vacuums: AB-2, AB-3</p>	<p>2 / pack 20 / box</p>	<p>\$ 20.79 \$ 17.48 \$ 15.00</p>

	<p>HEPA Efficiency - 99.97% Efficient @ 0.3 Mircons. For silica dust, baking flour, cold fireplace ash, etc. Made of durable fleece material, completely washable and re-useable for long life. Coated with polyethylene terephthalate (PET) for increased strength, durability and resistant to mildew. True HEPA efficiency rating traps fine dust to eliminate dust exhaust.</p> <p>CARTRIDGE FILTER with TWO OPEN-ENDS (older model vacuums). The cartridge filter with two open-ends (P/N 903-40-62) is being replaced with P/N 09096. Vacuums that use a lid to retain the cartridge filter (with Two Open-Ends), order Filter Conversion Kit 09096K.</p> <p>P/N 09096</p> <ul style="list-style-type: none"> Fits DD-KNG, TP-12, DC-2S, DC-2, DC-3, AB-3, AB-MINI, DC-CONTRACTOR, DC-PROFESSIONAL, TP-12, 241865 	<p>Non Certified</p> 	<p>Price / Cartridge</p> <p>Sold Individually</p> <p>\$ 68.00 (6 / Case)</p>
<p>09096K</p>	<p>Filter Conversion Kit: 09096K</p> <p>Older vacuums that use the a Cartridge Filter with an Open-End & uses a Retainer Plate (with hand nut), order Filter Conversion Kit 09096K to upgrade the filter AND the vacuum's dust containment efficiency.</p> <p>09096K Conversion Kit ensures Total Dust Containment AND Long Motor Life: The cartridge filter's efficiency rating plus its attachment seal to the motor head prevents dust from entering into the motor head chamber. By preventing dust contamination to the motor head compartment, electrical components last longer and clean air exhaust is assured. Conversion Kit includes 09096 Hepa Cartridge Filter & Replacement Filter Cage. 6 / Case</p>	<p>Non Certified</p>	<p>\$ 95.00 (6 / Case)</p>
<p>S87768</p>	<p>HEPA Efficiency - 99.97% Efficient @ 0.3 Mircons.</p> <p>Same efficiency rating as the above 09096 Cartridge Filter but with certification papers to meet the EPA RRP HEPA Ruling for Lead Paint Removal.</p> <p>Fits vacuums: DD-KNG, Kut-N-Go, TP-12, DC-1, DC-2S, DC-2P, DC-2, DC-3, AB-2, AB-3, TP-12, AB-MINI.</p>	<p>Certified</p>	<p>\$ 130.00 (4 / Case)</p>
<p>S87768K</p>	<p>Filter Conversion Kit: S87768K</p> <p>All Dust Director Vacuums with AIRFlow HEPA Filtration come standard with a Non-Certified HEPA Cartridge Filter. To confirm to the EPA RRP HEPA Filtration law, a <i>certified</i> HEPA filter System must be used. The Filter Conversion Kit (S87768K) converts your Dust Director Vacuum to a certified HEPA Vacuum - making it compliant with the EPA RRP Rule. Conversion Kit includes S87768 HEPA cartridge filter, filter cage & bracket.</p>	<p>Certified</p>	<p>\$ 155.00 (4 / Case)</p>

POWER BLOWER FILTER BAG & ACCESSORIES



4' x 12' *High Efficiency* Dust Containment Bag. Attaches to 16" - 26" Fans (with ratchet strap) - Filters ultra fine particles of silica dust, dirt, paint and other types of debris. Construction of multi-filtration media to provide a filtration efficiency of 97% @ 0.5 microns. High efficiency filter bag is approved for capturing the finest of airborne particles while ensuring large collection yields without filter bag blinding. Complete with HD zippers (on both filter bags), lifting strap - completely re-useable and washable. Note: After washing, do not dry in a clothes dryer - CAN ONLY BE AIR DRIED. P/N: FIT-BL10Z 4' x 12' \$ 265.00

How Efficient is the FIT-BL10Z Filter Bag? [FILTER BAG PRODUCTION DATA](#). Applications include: Jack hammering, concrete grinding and sawing, sand blasting, soda blasting, etc.

HD Stabilizer Connector

Adds versatility to your ventilation: Connect two pieces of Flexible Corrugated Ducting together or attach the 12' Silica Dust Filter Bag to the open end of the corrugated ducting. Additionally, the stabilizer may be attached to the open-end of the ducting to better stabilize or control the ducting as it exhausts air. Each connector requires a ratchet strap for hold the assembly in place.

- P/N: 725-087 16" Smooth Bore Stabilizer - Connector **\$270.00**
- P/N: 725-008 24" Smooth Bore Stabilizer - Connector **\$310.00**



Flex-Tubing

Standard flexible tubing available in sizes from 16" to 24" diameter. Made of heat and corrosion resistant material. Use the ratchet tie down straps to secure the tubing easy to the blower. Multiple sections can be connected together. Available in 25' lengths.

- P/N: 737-352 16" x 25' Corrugated Flexible Yellow Duct Work, Wire-reinforced \$260.00
- P/N: 737-356 24" x 25' Corrugated Flexible Yellow Duct Work, Wire-reinforced \$398.00



VACUUM CLEANER ACCESSORIES: NOZZLE KITS, SOFT VINYL HOSE CUFFS, HOSES, ETC.		
VINYL HOSE CUFFS.		Price
A-3161-200	1.5" Threaded x 2" ID Smooth - Attaches 1-1/2" hose to the 2" vacuum port of Dust Director and Dustless Cut-Off Saw.	\$ 6.00
150C	1.5" Threaded x 1-1/2" Threaded - Connects two 1.5" hoses together.	\$ 6.00
S80083	1-1/2" Threaded x 1-1/2" ID Smooth - Attaches a 1-1/2" hose to the vacuum port of a Surface Dust Guard.	\$ 9.00
20150E	2" Threaded x 1-1/2" ID Smooth - Attaches 2" hose to 1-1/2" vacuum Nozzle Kit or to Surface Dust Guards.	9.00
200E	2" Threaded x 2" ID smooth - Attaches 2" hose to 2" barrel of Dust Director and Dustless Cut-Off Saw.	\$ 9.00
200C	2" Threaded x 2" Threaded - Connects two 2" hoses together. Also holds the Y-Hose Hose Port: Using a 2" diameter hose, your able to keep the 3-Motor vacuum on the ground - attach the Y-Hose Connector via the 200C hose cuff to operating two dust control tools overhead on scaffold.	\$ 9.00
15200CS	2" Threaded x 1-1/2" Threaded - Connects 2" hose to 1-1/2" hose - Swivel Connector.	\$ 17.00
15200CY	2" Threaded x Y Ready Connector: 2" hose to Y-Port. Keep the vacuum on the ground using 2" hose for connection to Y-Port on scaffold.	\$ 15.00
S82774	Hard Plastic Hose Cuff - Connects 1-1/2" Hose to 2" Tank Inlet Port.	\$ 9.00
S82773	Hard Plastic Hose Cuff - Connects 2" Hose to 2" Tank Inlet Port.	\$ 12.00
Y-Port	Y-Hose Assembly. Connects two 1-1/2" hoses to vacuum's inlet port. Includes Y-Inlet Port Connector, 1-1/2" x 12' hose, 2" ID smooth vinyl hose cuff.	\$ 170.00
112HOSE	1.5" Vacuum Hose - Priced per foot. Lightweight, flexible, smooth bore interior. Recommended for use with all portable dust control tools. 12', 25' common lengths.	\$ 2.65
<p>2" Hose. A 2" diameter hose plus its smooth bore interior increases the vacuum's airflow. The 2" hose is recommend for long runs or for keeping the vacuum on the ground while working overhead. The 2" diameter hose provides 50% greater suction compared to 1-1/2" diameter. Note: our new ultra-flex 2" hose is very similar in weight and flexibility to our 1-1/2" hose.</p> <p>The 2" x 25' Hose Sections includes the following (3) vinyl hose cuffs: 2" threaded x 2" ID smooth, 2" threaded x 1.5" ID smooth, 2" threaded x 2" threaded (for connecting two 2" hoses together), and a 2" hard plastic cuff for installation into the tank's inlet port.</p>		
25HOSE	2" x 25' Hose w/ hose cuffs (4)	\$ 140.00
40N25WO	4" x 9' Air Duct Hose w/ hose cuffs (3)	\$ 110.00
S72672	9 Pc. Vacuum Nozzle Kit - HD Industrial. Includes: 14" Floor Brush & 14" Floor Squeegee on wheels, Crevice Nozzle, 3" Brush, Rt. Ang. Brush, 30" wands (2).	\$ 110.00
T80087	Turbo Beater Bar Floor Nozzle Kit. Turbine Floor Nozzle - Spinning brush on bottom of nozzle powdered by suction air from the vacuum. Includes two 30" metal wands and hose attachment cuff.	\$ 125.00
T80020	30" Front Mount Floor Sweep. For both wet & dry pick-up, installs onto 24 gallon poly tank.	\$ 280.00



Industrial Contractors' Supplies, Inc.

- Dust Director Division -

15061 Route 30, N. Huntingdon, PA 15642

Phone: 412 . 824 . 6933

Fax: 412 . 824 . 4704

www.dustdirector.com

Product Order Form

Faxing Page: 1 of

ORDERED BY:			
COMPANY NAME:		CUSTOMER PO:	
STREET ADDRESS:		CITY	
STATE:	COUNTRY:	POSTAL CODE:	
PHONE:		FAX:	
E-MAIL:			
CREDIT CARD INFORMATION:			
CHARGE TO CREDIT CARD (Please Circle): American Express Discover Master Card Visa			
CREDIT CARD ACCOUNT NO.		Exp. Date:	
CUSTOMER SIGNATURE:		Card CVV Code:	

Item No.	Description	Price	Quantity	Item Total
Shipping Method (Please Check One). Domestic orders ship UPS or LTL. International orders ship US Postal.			Item Subtotal Price	
<input type="checkbox"/>	Ground	Shipments to PA add 6% Sales Tax		
<input type="checkbox"/>	Overnight	Freight Total		
<input type="checkbox"/>	2 nd Day	TOTAL		
<input type="checkbox"/>	Other			

ICS will call you to confirm your purchase before processing your order.