

Dust Director - Product Line

Dust Director - 2 Models: Tuck Pointer / Floor & Wall Chaser



Complete Blade Visibility

Extension Cover *Unsnapped* to Cut a Wall's Inside Corner - Fits into Tight Areas

Always with A+ Dust Control



6" Blade Capacity
1-5/8" Cutting Depth
 Accepts 1/2" Wide Blades!

Multiple Cutting Positions - Installs & adjusts on the angle grinder to your way of cutting.



Floor & Wall Chaser - Pull cuts across floors & walls

- A+ for Crack Chasing
- Wall Cut-Out Projects

The Dust Control Tool to use when using HEPA Vacuums in EPA RRP Lead Paint Ruling Projects: Cuts through concrete, plaster, masonry, metal lath, drywall, tile, etc. ~

Without the dust

Dust Director / Angle Grinder - Collar Cross Reference Chart

Dust Directors install onto different angle grinders by selecting a collar:

Floor & Wall Chaser installs onto Metabo W8, 9, 11 & 14 Series Grinders

Collar Part Number	Fits Angle Grinder	Contractor Pricing
• DDC-MET	Metabo older W7 grinders plus Hitachi G13SC2	<ul style="list-style-type: none"> • Dust Director - Tuck Pointer, P/N: DDH Contractor Price: \$195.00 Please select a collar P/N • Dust Director - Floor & Wall Chaser P/N: DD-CHASER Contractor Price: \$195.00 Collar included (METABO-LEVER) <p>COMBINATION PACKAGES WITH ANGLE GRINDER</p> <ul style="list-style-type: none"> • Tuck Pointer or Floor & Wall Chaser w/ Metabo W8115 8 Amp Grinder \$280.00 • Tuck Pointer or Floor & Wall Chaser w/ Metabo Variable Speed 8.5 Amp Grinder \$360.00 • Tuck Pointer or Floor & Wall Chaser w/ Metabo Variable Speed 12.2 Amp Grinder \$390.00 • Tuck Pointer w/ Makita GA4530 6.0 Amp Grinder \$235.00 • Tuck Pointer w/ Makita 9564CV Variable Speed 13.5 Amp Grinder \$330.00
• METABO-LEVER	Metabo W8, 9, 11, 14 series	
• DDC-MAK	Makita 9560 series and model GA4530 grinder	
• MAK-9550	Makita 9550 and 9520 series plus Hilti DAG 450-S	
• DDC-BOS	Bosch 1700 series and models 1347A, 1375A	
• Bos-1800	Bosch 1800 series	
• HILTI-500	Hilti DCG 500-S grinder	
• FEIN-WSG14	Fein WSG & WSS 10, 11, 14 grinders	

Dust Director Vacuum Packages - (See Vacuums - Last Page):

- 15% Vacuum Discount - With purchase of a Dust Director (with or without the angle grinder).
- 2 For 1 Bonus Package - 2 Dust Directors for the Price of 1 plus 15% Vacuum Discount on DC 3-Motor Vacuum w/ Y-Hose Assembly: DC 3-Motor Vacuum operates 2 Dust Directors from one 24 Gallon Vacuum.

Glitter Bits ~ Finishes the cut what a diamond blade can't . . .



Diamond Router Bits

Simple, Easy to Use . . .
Fast, Precise Control . . .

Excellent for recessed mortar joints on stone walls, intricate or historical cut-out projects.

1000 Percent Less Dust than a diamond blade & angle grinder.

Exposed diamonds actually *Glitter* . . .

GRINDS IN TIGHT AREAS



Projects:

- Completes the 90° cut-out around bricks
- Grinds the inside wall corner
- Window & door brick returns
- Single brick removal

Glitter Bits - Available in 3 Sizes
Specifically designed to grind Hard "S" Mortar
Single Brick Removal - From Hard Mortar - Within 6 Minutes

Must be used with
Variable Speed Die Grinders

Maximum, Safe RPM Speed for Glitter Bits: Between 8,000 and 15,000 RPM

Glitter Bit Part Numbers	Size / Description	Contractor Price
<ul style="list-style-type: none"> • GB18275 • GB14350 • GB14550 	<p>1/8 x 3"</p> <p>1/4 x 3-1/2"</p> <p>1/4 X 4-5/8"</p>	<p>\$ 75.00</p> <p>\$ 80.00</p> <p>\$ 110.00</p>
<p>GB_BDC</p> 	<p>Glitter Bit Dust Controller - With Straight Edges</p> <p>Installs onto Makita GD0800C Variable Speed Die Grinder</p>	<p>\$ 119.00</p>
<p>GD0800C</p> 	<p>Makita Variable Speed Die Grinder</p> <p>6.6 Amp, 7000 - 28000 Rpm, 14-5/8" OAL</p> <p>1/4" collet standard, 1/8" collet available for use with 1/8" Glitter Bits</p>	<p>\$ 245.00</p>

Mini *Dustless* Cut-Off Saw - Lightweight, Easy Handling



Silica Dust Exposure

**10" Blade Capacity
3-1/4" Depth-of-Cut**

. . . Non-Containment

**Wall Cutting
Floor Cutting**


MINI DUSTLESS CUT-OFF SAW. Accepts 7, 8, 9, 10" Diamond Blades (2" to 3-1/4" depth-of-cut). Completely assembled w/ Loop Handle & 10" Tornado Diamond Blade.		Contractor Price
LW-DD	10" Lightweight Mini Dustless Cut-Off Saw, 15 Amp, 6000 Rpm, 18"L, 15 lbs.	\$ 780.00
HD-DD	10" HD Mini Dustless Cut-Off Saw, 15 Amp, 15 Amp, 6000 Rpm, 20"L, 20 lbs.	\$ 795.00

INDUSTRIAL POWER BLOWER

Respiratory Ventilation - Industrial Power Blower & 4' x 12' High Efficiency Filter Bag
Ventilation of Concrete Silica Dust, Carbon Monoxide, Demolition Dust & Debris, Welding Smoke, etc.

Heavy-Duty All Weather Debris Containment Bag

- 4' x 12' High Efficiency Filter Collection Bag
- Used indoors or outside / unaffected by the harshest of weather



The Right Motor for Any Job

- 24" Industrial Power Blower - 12,867 CFM
- Operates from a residential 110 volt, 20 amp breaker

P/N: EBS-24K **\$2,100.00**

EBS-24K Complete Ventilation Kit Includes:

- EB-24 Industrial Power Blower - provides 12,876 CFM for fast air movement (extraction power)
Extremely durable and portable, just tilt and move the blower anywhere with its 8" rubber wheels.
- 4' x 12' High Efficiency Silica Dust Filter Bag - two filters in one bag.
Filter bag is washable and re-useable with 4' zippers in each bag.
- Ratchet Tie-Down Strap - easily secures the filter bag to the shroud of the blower.




REPLACEMENT - 4' x 12' *High Efficiency* Dust Containment Bag. Filters ultra fine particles of silica dust, dirt, paint and other types of debris. Construction of multi-filtration media to provide a filtration efficiency of 97% @ 0.5 microns. Approved for capturing the finest of airborne particles while ensuring large collection yields without filter bag blinding. Complete with HD zippers (on both filter bags), lifting strap - completely re-useable and washable. Note: After washing, do not dry in a clothes dryer - CAN ONLY BE AIR DRIED. P/N: FIT-BL10Z 4' x 12' **\$ 265.00**

Surface Dust Guard ~ 7" & 5" - Installs onto your grinders . . .

7" SURFACE EDGING DUST GUARD Fast Grinding & Wall Edging



5" SURFACE CORNER DUST GUARD Grinding & Polishing Edges



Corner Guard design allows grinding and polishing into a corner with no dust problem as easily and tightly as if there was no shroud at all.



5" Surface Corner Dust Guard

Smooth and effortless grinding. **HD Steel Guards** glide across concrete floors like a Hoover craft on a cushion of air.

A+ Dust Control & Handling

Extracts over 95% of the dust off the floor.


Unlike similar guards, the Surface Dust Guard does not touch the floor - only the diamond wheel does, as it should be.

The adjustable rubber seal controls dust from escaping. When used with a low rpm (variable speed) grinder, the rubber seal may not even be needed.

Available in 5" and 7", each one has a straight edge for grinding floors along a wall.



Guards includes an assortment of insert collars for installing onto your angle grinder.



Surface Dust Guards: 5" & 7"		Contractor Price
5SDG	5" Surface Dust Guard w/ Assorted Insert Collars, installs onto your angle grinder	\$265.00
7SDG	7" Surface Dust Guard w/ Assorted Insert Collars, installs onto your angle grinder.	\$265.00
09	Inner Collar, for using the 7" Surface Dust Guard with the Makita 9227C Polisher.	\$ 25.00
23283	Flush Nut Set, for flush surface grinding using Abrasive ZEC Discs.	\$ 23.00
449264K	Tall Nut Set, for wheels without a 5/8-11 hub.	\$ 19.50

Surface Dust Guard Vacuum Packages - (See Vacuums - Last Page):

- 15% Vacuum Discount - With purchase of a Surface Dust Guard (with or without the angle grinder).
- 2 For 1 Bonus Package - 2 Surface Dust Guards for the Price of 1 plus 15% Vacuum Discount on DC 3-Motor Vacuum w/ Y-Hose Assembly: DC 3-Motor Vacuum operates 2 Surface Dust Guards from one 24 Gallon Vacuum.

Dust Director Vacuums - with AIRFlow® HEPA Filtration

EXTRACTS VOLUMES OF SILICA POWDER DUST . . . NOT JUST A FEW POUNDS

AIRFlow HEPA Filtration: Tanks fill completely with silica *powder* dust WITHOUT suction drop. Vacuums include two(2) filter systems: Flutter Filter Basket - Eliminates using filter bags, Clean Extreme Filter Bags - Burst & tear proof filter bag plus EVERYTHING stays clean.

Spend less Time Cleaning Filters & Emptying the Tank – and More Time Getting the Job Done

Flutter Filter Basket. Utilizes the spiraling whirlpool turbulence inside the vacuum tank to keep its loose fitting media constantly shaking and fluttering *Naturally* - preventing dry powders from accumulating or caking onto its surface. No electronics are used to keep this filter constantly moving, shaking, fluttering and *pulsing*. **Additionally, its *floating* filter cage is free floating as it shakes and knocks against the inside walls of the filter media, further helping to ensure long operating times without suction drop – *Naturally*.**



Clean Extreme Filter Collection Bags. Collects dry powder dust and wet debris - even at the same time. Bags will not tear or burst inside the tank like paper filter bags. The outside of the bag is kept clean which keeps the tank and the HEPA cartridge filter clean. Removal and disposal of the filter bag is clean, safe, without tearing, without a mess - Confirming to environmental and health regulations.

		
HEPA Cartridge Filter Stays Clean Everything Stays Clean . . .	Bags Do Not Burst . . . Collect Dry Powder to Wet Debris Without Changing the Bag	Large Collection Yields - To the tank's inlet port without suction drop

Dust Director Vacuums with AIRFlow HEPA Filtration					
Model Description	Kut-N-Go 1-Motor, 10 Gal Poly	Tuck Pointer 1-Motor 12 Gal HD Poly	DC-2S 2-Motor, 17 Gal Steel Tank Removes from Cart for Scaffold Use	DC-2 ~ 2-Motor 24 Gal HD Poly Compact Tank	DC-3 ~ 3-Motor w/ Y-Connector & (2) 12' Hoses - Operates 2 Dust Directors *
Silica Dust Yield	30 lbs.	40 lbs.	90 lbs.	150 lbs.	
Amps, CFM, H2O	8.5, 136 CFM, 97"	11.0, 90 CFM, 126"	8.5 Amp x 2 Motors 265 Net CFM, 97"	8.5 Amp x 2 Motors 265 Net CFM, 97"	6.5 Amp x 3 Motors 295 Net CFM, 83"
Size, Weight	12" x 30", 16 lbs.	14" x 28", 23 lbs.	16" x 38", 38 lbs.	16" x 36", 38 lbs.	16" x 36", 40 lbs.
Contractor Price	\$345.00	\$565.00	\$880.00	\$1,100.00	\$1,570.00 *
15% Vacuum Discount with Purchase of any Dust Control Guard	\$293.25	\$480.25	\$748.00	\$935.00	\$1,334.50 *

MOTORS: 2-Stage Bypass Motors. **VACUUMS - Equipped for Silica Dust Extraction with the following:** 2" tank inlet tank port for using 2" x 25' / 50' hose (available), lock-in hose connector; 1.5" x 12' lightweight, flexible, *smooth bore* interior hose; 2" ID smooth vinyl hose cuff for Dust Director attachment, AIRFlow HEPA Filters (Flutter Filter, Clean Extreme Bags (3)).

Dust Director Vacuums - Discount Packages:

- 15% Vacuum Discount - With purchase of a Dust Control Guard (with or without the angle grinder).
- **2 For 1 Bonus Package** - 2 Dust Director Guards for the Price of 1 *plus* 15% Vacuum Discount on DC 3-Motor Vacuum w/ Y-Hose Assembly: DC 3-Motor Vacuum operates 2 Dust Director Guards from one 24 Gallon Vacuum.

*** 2 For 1 Package:** 2 Dust Director Guards (and angle grinders) for the price of 1, with purchase of the DC 3Y Vacuum. The DC 3-Motor Vacuum is the only portable vacuum on the market that effectively operates two dustless angle grinders from 1 vacuum. Its compact size makes it ideal for use on scaffold! Complete with Y-connector, 1-1/2" x 12' hoses & soft vinyl hose cuffs.

Industrial Contractors Supplies
- Dust Director Division -

Contractor Price List, May 2011

15061 Route 30, N. Huntingdon, PA 15642 Phone: 412 . 824 . 6933
Email: trs@icscompany.net Fax: 412 . 824 . 4704

ALL DUST DIRECTOR PRICING IN THIS LIST INCLUDES FREE FREIGHT TO ANY CONTINENTAL U.S. DESTINATION
AS PER THE FOLLOWING PRODUCT QUANTITIES:

Vacuums (6 - any mix). Plus any product on this price list may be added to 6 Pc. Vacuum Order for Free Freight.

12 (any mix) of the following products:

Dust Directors, Mini Dustless Cut-Off Saws, Surface Dust Guards, Glitter Bit Dust Controllers, Glitter Bits.

Pricing subject to change without notice

Minimum order placed with Industrial Contractors Supplies: \$35

Expedite and Overnight orders subject to a \$75 expedite charge

Payment Terms: Net 30 days (upon approval of credit)

20% Restocking Fee Applies

Return Goods Policy: All returns must be first approved by ICS and receive a Return Authorization (RGA) number. 20% re-stocking fee applies unless offset by an order of greater value at the time of the return. Only credits will be given. All return shipments must be prepaid to destination marked with the RGA number. Shortage or damage claims must be made within ten (10) days of receipt of goods.